

MIRAZ COLLECTION

| ILLUMINATED LED MIRRORS



TOUCH
SWITCH

ANTI-FOG
SYSTEM

LED
LIGHTING

MAGNIFYING
MIRROR





ILLUMINATED LED MIRRORS

Miraz is a unique collection of mirrors that delicately and elegantly blend with your decor. In addition to bringing a modern touch, Miraz offers products that will facilitate your daily life from morning to night. Miraz stands out for its commitment to innovation and in creating sustainable, high-quality, high-end and sophisticated design.

Miraz: inspiration and beauty

The Miraz collection of mirrors transports us to another dimension. Its LED illuminated mirrors offer endless possibilities for the bathroom, the bedroom or walk-in. They are ideal for a quick glance, for applying makeup or facial treatments, or simply to create a distinctive atmosphere. The Miraz mirrors display beauty, quality and refinement. Several models and features are available to provide a warm experience.

6 to 8

Accent Collection

Illuminated LED mirrors
with frosted acrylic
stripes

9-10

Brilia Collection

Illuminated LED mirrors
with interior frosted
vertical stripes

11

Emblem Collection

Illuminated LED mirror
with interior frosted
horizontal stripe and
magnifying mirror (3X)

12-13

Illusion Collection

Illuminated LED mirrors
with interior frosted
horizontal stripe and
backlit bottom

14 to 16

Effect Collection

Illuminated LED mirrors
with frosted stripe

17-18

Eclipse Collection

Illuminated LED
backlit mirrors

Features

Touch switch

The touch switch is an option available for all models of Miraz mirrors. The switch is located on the mirror surface. It takes the shape of a small circle, and a simple touch allows activation. An interesting attribute to a modern and chic look.



Anti-fog system

The Miraz anti-fog system is present in all mirrors. It prevents the central part of the mirror from fogging up when the shower is running. Mirror remains clear and you can say goodbye to traces of towels and say hello to a perfect mirror.



LED lighting

All Miraz mirrors are lit with LED (light emitting diode). The LED lighting is nicknamed “the future of lighting” since it has many advantages including a very long life, high light intensity, high efficiency, high reliability and low heat emission.



Magnifying mirror

The collection of Miraz mirrors offers a model with a magnifying mirror. This interesting and useful feature adds to the performance. The mirror increases to 3 times the actual size. An option that combines design and daily use.



Respectful of the environment

Respect for the environment is important to Miraz. To this end, the choice of LED lighting has several advantages. The LED is free of polluting material, fully recyclable, and requires low energy consumption, which contributes to reducing the greenhouse effect. In addition, the LED has a long lifespan. Selecting Miraz LED mirror is also making a powerful choice, economical and durable.



Certification

Miraz mirrors are all certified cUL_{us} . This means that Miraz mirrors meet the requirements of UL (*Underwriters Laboratories*) in Canada and the United States.



5-year warranty

Miraz guarantees its mirrors for 5 years against defects in material or workmanship under normal use and maintenance. The 5-year warranty covers all electrical components including the LED, electrical controls and the anti-fog system.



Electrical connection

The Miraz mirrors are activated in 3 ways: either by the main switch in the room, by the digital switch on the mirror, or both. A connection cable is supplied with all mirrors. It simply requires a standard junction close by and you are done, with the help, of course, of a qualified installer.



Features

Method of attachment

The Miraz mirrors are installed in a few easy steps. Our designers have thought of users by designing an attachment method for easy installation. See the Installation Guide for details.



Acrylic stripe

The “Accent” collection is characterized by frosted acrylic stripes on each side of the mirror. This subtle attribute changes the way light is diffused, creating a warm and elegant atmosphere.



Reversible

Some models of the Miraz mirrors collection are reversible. At the time of installation, the user may choose to position the mirror to the vertical or to the horizontal. Whatever, the position of the mirror, the touch switch remains easily accessible.




Hot or cold light

The lighting of Miraz mirrors has a light color measured in kelvin (K). Some mirrors are available in 4000 K corresponding to a hot, bright and clear color while others are available in 6400 K, which corresponds more to an energizing and refreshing light. The higher the degree, the bluish is the light and as it decreases, the warmer becomes the light.



Accent

Illuminated LED mirror with vertical frosted acrylic stripes



FEATURES

| | |
|------------------------|---|
| Code | MR1460 |
| Packaging mm (in) | 800 x 600 x 93 (31 1/2 x 23 5/8 x 3 5/8) |
| Mirror width | 4 mm |
| Weight lb (kg) | 18.48 (8.4) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1612 lm |
| Kelvin | 6400 K +/- 300 white |

TOUCH SWITCH

| | |
|-----------------------|---|
| MR1460-560 | |
| MR1460-560-001 | ✓ |


 Frosted stripe

 Touch switch

MR1460

Accent

Illuminated LED mirror with vertical frosted acrylic stripes



FEATURES

| | |
|------------------------|---|
| Code | MR1461 |
| Packaging mm (in) | 900 x 800 x 93 (35 1/2 x 31 1/2 x 3 5/8) |
| Mirror width | 4 mm |
| Weight lb (kg) | 27.72 (12.6) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1843 lm |
| Kelvin | 6400 K +/- 300 white |

TOUCH SWITCH

| | |
|-----------------------|---|
| MR1461-560 | |
| MR1461-560-001 | ✓ |

 Frosted stripe

 Touch switch


MR1461

Accent

Illuminated LED mirror with frosted acrylic perimeter stripe




FEATURES

| | |
|---|--|
| Code | MR1462 |
| Packaging mm (in) | 600 x 1100 x 93 (23 5/8 x 43 3/4 x 3 5/8) |
| Mirror width | 4 mm |
| Weight lb (kg) | 25.3 (11.5) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible  | Yes |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 30 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 3271 lm |
| Kelvin | 6400 K +/- 300 white |



TOUCH SWITCH

| | |
|-----------------------|---|
| MR1462-560 | |
| MR1462-560-001 | ✓ |

MR1462

Brilia

Illuminated LED mirror with interior frosted vertical stripes




FEATURES

| | |
|------------------------|---|
| Code | MR1463 |
| Packaging mm (in) | 700 x 900 x 93 (27 ½ x 35 ½ x 3 ¾) |
| Mirror width | 4 mm |
| Weight lb (kg) | 23.76 (10.8) |
| IP rating | IP44 |
| Certification | UL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1152 lm |
| Kelvin | 4000 K +/- 300 white |



 Frosted stripe

 Touch switch


TOUCH SWITCH

| | |
|-----------------------|----------|
| MR1463-540 | |
| MR1463-540-001 | ✓ |

MR1463

Brilia

Illuminated LED mirror with interior frosted vertical stripes



| FEATURES | |
|------------------------|---|
| Code | MR1464 |
| Packaging mm (in) | 900 x 700 x 93 (35 ½ x 27 ½ x 3 ¾) |
| Mirror width | 4 mm |
| Weight lb (kg) | 23.54 (10.7) |
| IP rating | IP44 |
| Certification | UL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

| LIGHTING | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1613 lm |
| Kelvin | 4000 K +/- 300 white |

| | TOUCH SWITCH |
|-----------------------|--------------|
| MR1464-540 | |
| MR1464-540-001 | ✓ |


 Frosted stripe

 Touch switch

MR1464

Emblem



Illuminated LED mirror with interior frosted horizontal stripe and magnifying mirror (3X)



| FEATURES | |
|------------------------|---|
| Code | MR1465 |
| Packaging mm (in) | 700 x 900 x 93 (27 ½ x 35 ½ x 3 ⅝) |
| Mirror width | 4 mm |
| Weight lb (kg) | 22.55 (10.25) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Available |
| Reversible | No |

| LIGHTING | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1613 lm |
| Kelvin | 4000 K +/- 300 white |

| | TOUCH SWITCH |
|-----------------------|--------------|
| MR1465-540 | |
| MR1465-540-001 | ✓ |

-  Frosted stripe
-  Touch switch

MR1465

Illusion

Illuminated LED mirror with interior frosted horizontal stripe and backlit bottom




FEATURES

| | |
|------------------------|--|
| Code | MR1466 |
| Packaging mm (in) | 800 x 1100 x 93 (31½ x 43 ¼ x 3⅝) |
| Mirror width | 4 mm |
| Weight lb (kg) | 30.58 (13.9) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 30 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 2200 lm |
| Kelvin | 4000 K +/- 300 white |



- Frosted stripe
- Touch switch

TOUCH SWITCH

| | |
|-----------------------|---|
| MR1466-540 | |
| MR1466-540-001 | ✓ |

MR1466

Illusion

Illuminated LED mirror with interior frosted horizontal stripe and backlit bottom




FEATURES



| | |
|------------------------|---|
| Code | MR1467 |
| Packaging mm (in) | 800 x 1300 x 93 (31½ x 51½ x 3⅝) |
| Mirror width | 4 mm |
| Weight lb (kg) | 36.52 (16.6) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 30 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 2430 lm |
| Kelvin | 4000 K +/- 300 white |




| | TOUCH SWITCH |
|-----------------------|--------------|
| MR1467-540 | |
| MR1467-540-001 | ✓ |

-  Frosted stripe
-  Touch switch


MR1467

Effect

Illuminated LED mirror with interior frosted stripe



FEATURES

| | |
|---|--|
| Code | MR1468 |
| Packaging mm (in) | 800 x 1100 x 93 (31½ x 43 ¼ x 3⅝) |
| Mirror width | 4 mm |
| Weight lb (kg) | 31.24 (14.2) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible  | Yes |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 30 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 3087 lm |
| Kelvin | 4000 K +/- 300 white |


TOUCH SWITCH

| | |
|-----------------------|---|
| MR1468-540 | |
| MR1468-540-001 |  |

MR1468

Effect

Illuminated LED mirror with interior frosted stripe



FEATURES

| | |
|------------------------|--|
| Code | MR1469 |
| Packaging mm (in) | 800 x 800 x 93 (31½ x 31½ x 3¾) |
| Mirror width | 4 mm |
| Weight lb (kg) | 23.1 (10.5) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1550 lm |
| Kelvin | 4000 K +/- 300 white |

TOUCH SWITCH

| | |
|-----------------------|---|
| MR1469-540 | |
| MR1469-540-001 | ✓ |


 Frosted stripe

 Touch switch

MR1469

Effect

Illuminated LED mirror with frosted perimeter stripe



FEATURES

| | |
|------------------------|---|
| Code | MR1470 |
| Packaging mm (in) | 720 x 720 x 93 (28 3/8 x 28 3/8 x 3 3/8) |
| Mirror width | 4 mm |
| Weight lb (kg) | 17.16 (7.8) |
| IP rating | IP44 |
| Certification | UL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 20 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1918 lm |
| Kelvin | 4000 K +/- 300 white |

TOUCH SWITCH

| | |
|-----------------------|---|
| MR1470-540 | |
| MR1470-540-001 | ✓ |



 Frosted stripe

 Touch switch


MR1470

Eclipse

Illuminated LED backlit mirror



FEATURES

| | |
|--|---|
| Code | MR1471 |
| Packaging mm (in) | 700 x 900 x 93 (27 1/2 x 35 1/2 x 3 3/8) |
| Mirror width | 4 mm |
| Weight lb (kg) | 22.44 (10.2) |
| IP rating | IP44 |
| Certification | cUL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible  | Yes |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 30 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 2534 lm |
| Kelvin | 6400 K +/- 300 white |

TOUCH SWITCH



| | |
|-----------------------|---|
| MR1471-560 | |
| MR1471-560-001 |  |

 Touch switch

MR1471

Eclipse

Illuminated LED backlit mirror



FEATURES

| | |
|------------------------|---|
| Code | MR1472 |
| Packaging mm (in) | 700 x 700 x 93 (27 ½ x 27 ½ x 3 ¾) |
| Mirror width | 4 mm |
| Weight lb (kg) | 16.72 (7.6) |
| IP rating | IP44 |
| Certification | UL_{us} |
| Anti-fog system | Included |
| Magnifying mirror (3X) | Not available |
| Reversible | No |

LIGHTING

| | |
|--------------|-----------------------------|
| Type | LED 2835 |
| Power (watt) | 30 W |
| Input (volt) | 110 to 120 V |
| Dimmable | No |
| Lumen | 1969 lm |
| Kelvin | 6400 K +/- 300 white |

TOUCH SWITCH

| | |
|-----------------------|---|
| MR1472-560 | |
| MR1472-560-001 | ✓ |

⊙ Touch switch

MR1472

Warranty

5 years limited warranty on miraz mirror

Miraz offers the following express limited warranty on its products. This warranty extend only to the original owner/end-user for personal household use and are effective as of the date of purchase. The warranty is not transferable to subsequent owners. Additional limitations may apply for commercial use.

Miraz guarantees all aspects of its mirrors to be free of defects in material and workmanship for normal residential use for as long as the original consumer-purchaser owns his or her home. If a defect is found during normal residential use, Miraz may, at its sole discretion, elect to repair or provide a replacement part or product.

The 5-year warranty covers all electrical components including LED, electrical controls and the anti-fog system. The Miraz mirrors must be installed by a qualified installer. The electrical connexion must be installed by a qualified electrician and operated according to applicable codes.

This warranty excludes damage caused in whole or in part by improper use, use of the product in temperatures exceeding the recommended maximum temperature in moisture, an under/over voltage condition, dirty electrical outlets or broken, inadequate grounding, negligence, accident, improper installation, improper maintenance or the use of an abrasive product. All unnecessary wiring or circumvention of components void the warranty.

Miraz is not responsible for labor, installation or other incidental or consequential expenses.

Under no circumstances shall the liability of Miraz exceed the purchase price paid for a mirror by the owner/end-user, contractor or builder.

Commercial limitations

In addition to the previously mentioned conditions and limitations, the warranty period for products installed for commercial applications, or used in commercial ventures, shall cover a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer. If the product is sold by Miraz as a display item, a one (1) year warranty applies.

Warranty service

If you wish to make a claim under this warranty, you may contact Miraz through your Dealer or directly at 1-877-465-2542 or again by writing to: service@MirazCollection.com or to: Miraz, Attn: Customer Service Dept., 1355 2nd Street, Sainte-Marie (Quebec) G6E 1G9 Canada. Be sure to provide all pertinent information related to your claim, including a complete description of the problem you are experiencing, the product name, product model number, finish and finally the date and the location where the product was purchased. Also include the product's serial number or original receipt. For more information or to obtain the name and address of the service and repair centre nearest you, call 1-877-465-2542.

This is the exclusive written warranty of Miraz.

Contacts



| ILLUMINATED
LED MIRRORS

Order desk

Suzanne Campbell

✉ service@MirazCollection.com

☎ 418-387-9090 or 1-877-465-2542, option 1

Customer services

Suzanne Ouellette

✉ service@MirazCollection.com

☎ 418-387-9090 or 1-877-465-2542, option 2

Miraz Collection

1355 2nd Street, Industrial Park
Sainte-Marie (Quebec) G6E 1G9

✉ service@MirazCollection.com

☎ 418-387-9090 or 1-877-465-2542

☎ 418-387-9089

MirazCollection.com